



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

of their shyness. A male was perched upon a small tree-top along the county road in the town of Haywards, singing away in apparent security.

I discovered three nests of the Western Yellowthroat on May 8 in a patch of rushes, overgrown with willows. Two were deserted and the third, which was quite large and elaborately constructed of dead blades of cat-tails and sparsely lined with the long hair of cattle, was thrust sideways, by a cow perhaps, and contained four fresh eggs, two of which were slightly damaged.

In about one-half of the completed nests of Pileolated Warbler I have found, the bird has deserted her nest and the immediate premises. On April 30, 1899, Mr. Harry Sheldon and I were collecting along a creek when he made the unusual find of a nest and *five* eggs of the Russet-backed Thrush, which I secured.—D. A. COHEN, Alameda, Cal., July 15, '99.



The Nesting Haunts of the Black-throated Gray Warbler.

THE accompanying plate represents one of those charming bits of woodland which Messrs. Henry W. Carriger, John M. Welch and the writer were permitted to pass through in the Sierra Nevada Mts. early in June of this year. The camera has preserved the mere outlines of the scene, but the freshness and brilliancy of the morning and the ecstatic songs of the woods' feathered denizens are of necessity lacking. We were roaming aimlessly through the woods, following only such paths as fancy might dictate, when Mr. Carriger's attention was drawn to a neat, greyish nest on the drooping limb of a pine, to which a pair of Black-throated Gray Warblers presently claimed ownership. Being near a road-house a short ladder was secured later in the day and the set collected on its original limb.

Mr. Carriger contributes the following notes on this species from his '99 experiences: "The Black-throated Gray Warbler was probably the commonest warbler met with on our trip and a number of nests were located. Several were found in the deer brush (*Ceanothus*) at from five to nine feet up and two were placed in pines, one twelve feet up on a small limb (shown in the illustration) and another 52 feet up on a horizontal limb. The birds showed little anxiety and would fly off at our approach and remain near by, chirping occasionally. While photographing the nest both birds remained in the pine overhead but did not approach nearer than ten feet. While we often heard

this warbler singing, few were noticed excepting on such occasions as when we collected a nest."

The scene portrayed in the plate is an ideal one of the open growths in the Sierras. It seems truly a transformation to step from the deep, dark timber where the reign of Silence is seldom broken and where the birds seem loath to commit the sacrilege of song, to the open hillsides where the carpet of luxuriant "mountain misery" is ever green, and where the sunlight sifts down in fantastic shafts through the pines and cedars with beautiful varied effects. Here the warblers and vireos pour forth their most exquisite songs and the creepers and nuthatches industriously gyrate up and down the oaks and pines while the woodpeckers and sapsuckers drum idly on the dead stubs. Here all bird life dwells in seeming harmony, and as recurrent thoughts carry one back to the hum-drum of city life I almost wish I might linger alway in this idyllic spot.

C. BARLOW.



MR. RALPH ARNOLD, a member of the Cooper Club, was united in marriage to Miss Frankie Winninette Stokes at Alhambra, Cal., on July 12, 1899. Mr. Arnold has always been one of the most active members of the Club and has done extensive work in ornithology throughout Los Angeles County, his former home. He was president and a graduate of the class of '99 of Stanford University, where his popularity throughout his several years' course was unbounded. As leader of the Stanford Mandolin Club at the University and on its numerous tours, he added constantly to an already large circle of friends, all of whom will join in cordially congratulating him as one most worthy of the fair bride he has won from the Southland. Mr. and Mrs. Arnold will locate at Menlo Park, Cal.



Photo by C. Barlow.

NESTING HAUNTS OF THE BLACK-THROATED GRAY WARBLER.
(Showing H. W. Carriger collecting nest, in company with Jno. M. Welch.)